

**'road runner'
Easy Loader
Multiroller
Sportsboat
Trailers**



Model
ELR21500

SBS TRAILERS

REDFINN BOATS RECOMMEND SBS TRAILERS
PRODUCTS FOR OUR ENTIRE BOAT RANGE

E-mail: info@redfinnboats.com

Website: www.redfinnboats.com

Telephone: 020 8123 0881 (UK) or +353 872 560865


REDFINN
WORLD CLASS SPORTFISHERS

SBS TRAILERS

roadrunner Easy Loader trailers

from 420kgs - 2800kgs



Unbraked models
ELR2/600
ELR2/750
Braked version model
ERL2/850 illustrated
Spare wheel optional extra.



ELR2/1000
ELR2/1300
ELR2/1600
Rear side steps standard.



ELR4/1600 (10" wheels)
ELR4/1800
ELR4/2000
Keel rollers on swing beam -
optional extra.



ELR4/2500 (illustrated)
R4/3000 (48 rollers)
R4/3500 (72 rollers)


Fully Adjustable Swing Beams, Winch Post & Axle Position. Light Board and Winch Stand

Specification

What you get from SBS ...

Tried, tested and proven over the years an Easy Loader trailer from SBS is designed with your boat in mind.

- Quality galvanised axles give a smooth ride for excellent towing characteristics and optimum safety, with EEC approved brakes and hubs. Nylon bushed, polyurethane rubber ribbed rollers provide cushioned support without marking your hull. The nylon bushing ensures that the rollers actually roll and will not elongate like cheaper, rubber equivalents.
- Fully adjustable everything!! Axle position to achieve the perfect balance for optimum towing performance. Width and height of the roller banks to support your boat where it needs it most. Winch post to ensure secure location of the bow.
- Securing eyes for the positive attachment of ratchet straps
- High capacity winch to aid recovery
- Full rear lighting on extending brackets.




Some owners like the support of carpet bunks but want the ease of loading rollers.

The above illustration is an R2/1800B with roller rear bunks.



We can make trailers up to 6 tons gross with air brakes.

Illustrated is 3210 5000kg gross trailer with triple axle for Bayliner.



Boot launchers for off road use. Fully sprung with sealed bearings. Docking arms with carpet bunk or roller bunk support.

Full range available. Save expense and maintenance of brake system.

MODEL REF	GROSS CAP	LOAD CAP	WHEELS/ TYRES	FRONT ROLLERS	SWING BEAM ROLLERS	KEEL ROLLER	DIMENSIONS (METRES)*
ELR2/600	600	420	520x10x4	2x2	1/8	1	4.30x1.84
Unbraked ELR2/750	750	580	500x10x6	2x2	1/8	1	4.57x1.84
Unbraked ELR2/850	900	650	500x10x8	2x4	1/12	1	5.00x1.84
ELR2/1000	1000	720	165x13x4	2x4	1/16	1	5.15x2.14
ELR2/1300	1280	900	165x13x8	2x4	1/16	1	5.70x2.14
ELR2/1500	1500	1150	175x13x8	2x4	1x16	1	5.70x2.14
ELR2/1600	1600	1200	175x14x8	2x4	1/16	1	5.70x2.14
ELR2/1800	1800	1400	185.70R13	-	2/16	1	6.70x2.14
ELR4/1600	1600	1120	500x10x6	-	2/16	1	5.95x2.14
ELR4/1800	1900	1420	165x13x4	-	2/16	1	6.10x2.14
ELR4/2000	2000	1520	165x13x4	-	2/16	2	6.70x2.14
ELR4/2500	2500	1950	165x13x6	-	2/20	2	6.70x2.14
ELR4/3000*	3000	2460	175x13x8	-	2/24	2	6.70x2.14
ELR4/3500*	3500	2800	185.70R13	-	2/36	2	6.70x2.14

* Can be increased in length to 8 metres at an extra cost.

EXTRAS AVAILABLE

- Spare wheel and brackets as detailed on Road Runner price list
- Docking Arms (bolt on with detachable poles)
- Side Steps for models 600, 750, 850 & 1000 (rear only)
- Ratchet Straps - 50mm x 5 metre
- Wheel Clamp - 50mm x 7 metre
- Coupling Lock - Bulldog (insurance approved)
- Bradley (insert type lock)
- Al-ko Shackle Lock
- Alko Security Lock

... for a full list of features and benefits..... p.t.o.

* Specification subject to change without notice. Wheels and tyres may be changed to suit availability but only within the same or better load capacity. All goods sold subject to conditions of sale.